



**ANIMATICS**  
*Defining the Future in  
 Motion Control*


- HOME
- About Us
- What's New
- Products
- Our Guarantee
- Tech Support
- Distributors/  
Partners
- Contact Us
- 
Send Me A Catalog
- Job Opportunities
- Map of Location



# 2300 Series

Click here to download the [2300 Drawing](#) / [2300 Gear Head Drawing](#) / [2300 RA Gear Head Drawing](#)

			2310	2320	2330	2340
<b>Peak Torque</b>	T <sub>p</sub>	<b>oz-in</b>	53	90	125	125
<b>Continuous Torque</b>	T <sub>c</sub>	<b>oz-in</b>	20	38	50	55
<b>Voltage Constant</b>	K <sub>v</sub>	<b>V/kRPM</b>	4.11	6.60	9.32	10.26
<b>No Load Speed</b>	S <sub>nl</sub>	<b>RPM</b>	13,220	7,820	5,590	5,310
<b>Torque Constant</b>	K <sub>t</sub>	<b>oz-in/amp</b>	5.55	8.92	12.6	13.9
<b>Rotor Inertia</b>	J <sub>m</sub>	<b>oz-in-sec<sup>2</sup></b>	0.00095	0.00184	0.00273	0.00362
<b>Weight</b>	W <sub>t</sub>	<b>lbs.</b>	1.20	1.74	2.27	2.79
<b>Number of Poles</b>	.	.	4	4	4	4
<b>Number of Slots</b>	.	.	15	15	15	15
<b>Length</b>	.	<b>inches</b>	3.08	3.73	4.37	5.02
<b>Width</b>		<b>inches</b>	2.25	2.25	2.25	2.25
<b>Nominal Continuous Power</b>		<b>hp</b>	0.18	0.19	0.20	0.22



**Animatics Corporation** ♦ 3050 Tasman Drive ♦ Santa Clara, California 95054-1116 U.S.A.  
 Phone: (408) 748-8721 ♦ Fax: (408) 748-8725